

CERTIFICATE OF ANALYSIS

DEPLETED SERUM

IgG, IgA, IgM, IgE, IgD Depleted Serum

| | |
|-----------------|----------------|
| Code No. | SF505-2 |
| Lot No. | |

RECEIVER INFORMATION

Expiry Date

Manufacturing date

Storage Temperature Store below -15°C.

Storage Notes Avoid freeze thaw cycles.

Shipping Notes Dry ice recommended.

PRODUCT INFORMATION

Source Normal human serum, off the clot.

Presentation Single homogenous batch, Immunoglobulin depleted and dialysed into 10mM HEPES, pH 7.5 containing 0.15M NaCl, filtered through 0.2µm membrane.

Recovery In order to meet our customer needs, it should be noted that there is normally a dispensing overage allowance and the product recovery may, therefore, be greater than expected.

HEALTH AND SAFETY

Application For Research and Manufacturing Only.

Infectious Disease Tests

| Starting material donor tested using FDA/CE approved tests for: | Result |
|---|--------|
| HIV 1 & 2 antibodies | |
| Hepatitis B Surface Antigen | |
| Hepatitis C virus antibodies | |

Precaution No test can guarantee the absence of an infectious agent. Please handle as potentially hazardous.

Material Safety For further information and technical details, please download a Safety Data Sheet at www.bbisolutions.com or contact your BBI Account Manager.

ANALYSIS

| ANALYTE | SPECIFICATION | RESULTS |
|--|---------------|-----------|
| IgG level Immunoassay, determined by Roche Cobas | ≤5 g/L | g/L |
| IgA level Immunoassay, determined by Roche Cobas | ≤0.4 g/L | g/L |
| IgM level Immunoassay, determined by Roche Cobas | ≤0.2 g/L | g/L |
| IgE level Immunoassay, determined by Roche E Modular | ≤5 IU/ml | IU/ml |
| IgD level Immunoassay, determined by Nephelometry | ≤20 U/ml | U/ml |
| Bioburden | <10 CFU/ml | Pass/Fail |

| | | | |
|----------------|--|------------------|--|
| Name: | | Position: | |
| Signed: | | Date: | |