

CERTIFICATE OF ANALYSIS

DEPLETED SERUM

TSH Depleted Serum

Code No.	SF219-2B
Lot No.	

RECEIVER INFORMATION

Expiry Date

Manufacturing Date

Storage Temperature Store below -15°C.

Storage Notes Avoid freeze thaw cycles.

Shipping Notes Dry ice recommended.

PRODUCT INFORMATION

Source Normal human serum, off the clot.

Presentation Single homogenous batch, TSH depleted, filtered through 0.2µm membrane.

HEALTH AND SAFETY

Application For Research and Manufacturing Only.

Infectious Disease Tests

Starting material tested using FDA approved tests for:	Result
HIV 1 & 2 antibodies	
Hepatitis B Surface Antigen	
Hepatitis C virus antibodies	

Precaution No test can guarantee the absence of an infectious agent. Please handle as potentially hazardous.

Material Safety For further information and technical details, please download a Safety Data Sheet at www.bbisolutions.com or contact your BBI Account Manager.

ANALYSIS

ANALYTE	SPECIFICATION	RESULTS
TSH level Immunoassay, determined by Abbott Architect	<0.004 miu/L	Pass/Fail
Cholesterol level	<20 mg/dL	Report result
Triglycerides level	<20 mg/dL	Report result
Bioburden	<100 CFU/ml	Pass/Fail
<hr/>		
Physical Appearance	Clear amber frozen liquid	

Name:		Position:	
Signed:		Date:	